

Red and NIR persistent luminescence on Eu^{3+} and Yb^{3+} -doped rare earth oxysulfides

Ian P. Machado^{1*}, José M. Carvalho Junior^{1,2}, Cássio C. S. Pedroso¹, Lucas C. V. Rodrigues¹, Hermi F. Brito¹

¹ University of São Paulo, Institute of Chemistry, 05508-000, São Paulo-SP, Brazil.

² University of Turku, Department of Chemistry, FI-20014 Turku, Finland.

* e-mail: imachado@iq.usp.br

Persistent luminescence is a phenomenon whereby the light emission can last for a long time after ceasing the excitation source. With the discovery of $\text{SrAl}_2\text{O}_4:\text{Eu}^{2+},\text{Dy}^{3+}$ by Matsuzawa *et al.* in 1996, several works were published over Eu^{2+} -activated (blue/green) persistent luminescent compounds¹. This led into a lack of red and near-infrared (NIR) emitting materials, which are promising for many applications, such as silicon solar cells sensitizers and nanoprobe for biomedical imaging². The development of new red and NIR persistent luminescent materials is thus needed, and for that, the understanding of persistent luminescence mechanisms is essential. Eu^{3+} -doped yttrium oxysulfide is an efficient and well-established red phosphor since the 1960's. Strong red persistent luminescence was achieved by Mg^{2+} and $\text{Ti}^{3+/IV}$ co-doping. However, as Ti presents a complicated electrochemistry, the persistent luminescence mechanism and the role of Ti ions are yet not well understood^{1,3}.

In this work the $\text{R}_2\text{O}_2\text{S}:\text{Ln}^{3+}$ and $\text{R}_2\text{O}_2\text{S}:\text{Ln}^{3+},\text{Mg}^{2+},\text{Ti}^{3+/IV}$ materials (R^{3+} : La, Gd, Y) (Ln^{3+} : Eu, Yb) were prepared by a rapid solid-state microwave-assisted synthesis. $\text{R}_2\text{O}_2\text{S}:\text{Eu}^{3+}$ and $\text{R}_2\text{O}_2\text{S}:\text{Eu}^{3+},\text{Mg}^{2+},\text{Ti}^{3+/IV}$ materials presents a large number of narrow emission bands related to $\text{Eu}^{3+} {}^5\text{D}_{1,0} \rightarrow {}^7\text{F}_J$ transitions. $\text{R}_2\text{O}_2\text{S}:\text{Eu}^{3+},\text{Mg}^{2+},\text{Ti}^{3+/IV}$ exhibit red persistent luminescence due to the $\text{Eu}^{3+} {}^5\text{D}_0 \rightarrow {}^7\text{F}_J$ transitions and the $\text{Ti}^{3+} d-d$ broad band emission (**Fig. 1**). All $\text{R}_2\text{O}_2\text{S}:\text{Yb}^{3+}$ and $\text{R}_2\text{O}_2\text{S}:\text{Yb}^{3+},\text{Mg}^{2+},\text{Ti}^{3+/IV}$ materials presents NIR emission (~ 980 nm) due to the $\text{Yb}^{3+} {}^2\text{F}_{5/2} \rightarrow {}^2\text{F}_{7/2}$ narrow emission bands. The NIR persistent luminescence were also verified in the $\text{R}_2\text{O}_2\text{S}:\text{Yb}^{3+},\text{Mg}^{2+},\text{Ti}^{3+/IV}$ materials.

A persistent luminescence mechanism for these materials were proposed based on spectroscopic data and thermoluminescence analyses. An energy transfer process $\text{Ti}^{3+} \rightarrow \text{Eu}^{3+}$ seems to occur in Eu^{3+} -doped materials, which improves the time and intensity of red emission. In the end, new NIR persistent luminescent materials were developed in this work, which can be later applied in a thin film form as silicon solar cells sensitizers.




Fig. 1 Persistent luminescence of $\text{Y}_2\text{O}_2\text{S}:\text{Eu}^{3+},\text{Mg}^{2+},\text{Ti}^{3+/IV}$

References

- 1 - Brito, H.F.; Hölsä, J.; Laamanen, T.; Lastusaari, M.; Malkamäki, M.; Rodrigues, L.C.V. *Opt. Mater. Express*. **2012**, 2, 371–381.
- 2 - Liu, F.; Yan, W.; Chuang, Y.-J.; Zhen, Z.; Xie, J.; Pan, Z. *Nat. Sci. Reports*. **2013**, 3, 1554.
- 3 - Lei, B.; Liu, Y.; Zhang, J.; Meng, J.; Man, S.; Tan, S. *J. Alloys Compd.* **2010**, 495, 247–253.

Thanks to CNPq n° 407820/2013-2 and for the fellowship granted.