

SYNTHESIS AND CHARACTERIZATION OF SUPERPARAMAGNETIC IRON OXIDE NANOPARTICLES FOR PHOTODYNAMIC THERAPY

Paula S. Haddad¹, Karina A. Fudimura¹, Amedea B. Seabra^{1,2}, Marconi C. Santos¹

¹*Exact and Earth Sciences Department, Universidade Federal de São Paulo, CEP 09913030, Diadema, SP, Brazil,* ²*Center of Natural and Human Sciences, Universidade Federal do ABC, Av. dos Estados 5001, CEP 09210-580, Santo André, SP, Brazil.*

*e-mail: haddadps@gmail.com

Superparamagnetic iron oxide nanoparticles (SPIONs), with appropriate surface coating, are commonly used for biomedical applications such as photodynamic therapy (PDT)¹. This work describes the preparation and characterization of methylene blue (MB)-containing silica-coated SPIONs. Upon exposure to light, MB reacts with molecular oxygen and generates singlet oxygen (¹O₂) which is cytotoxic and causes irreversible damage to tumor tissues. In this work, SPIONs were synthesized by co-precipitation and coated with a single/double silica layer. The photoactive molecule MB was entrapped in the silica layer deposited on the surface of SPIONs, leading to the formation of hybrid nanomaterials composed of a magnetic core and silica layer. The nanocomposite exhibited magnetic behavior at room temperature due to the presence of its Fe₃O₄ core. Structural and morphological characterizations were performed by X-ray diffraction (XRD), Fourier transformed infrared (FTIR), SQUID magnetic measurements, ultraviolet-visible spectroscopy, scanning electron microscopy (SEM), energy dispersive X-ray spectroscopy (EDS), and dynamic light scattering. The results showed the presence of a crystalline Fe₃O₄ magnetic core and amorphous silica phases. Kinetic measurements revealed ¹O₂ generation by the nanoparticles upon irradiation with visible light ($\lambda = 532$ nm or $\lambda = 633$ nm). The results highlight the potential uses of SPIONs coated with MB-entrapped silica for PDT, whereby a sustained and localized generation of ¹O₂ was successfully achieved.

¹ Fudimura, K.A.; Seabra, A.B.; Santos, M.C.; Haddad P.S.; *J Nanosci. Nanotechnol.* **2016**, *16*,1.

This work was supported by FAPESP (Proc. 2014/13913-7)