

Synthesis and characterization of germanate glasses containing niobium oxide for luminescent devices

Lia Mara S. Marcondes^{1*}, Brenda B. de Oliveira¹, Isabela dos S. Catozzo¹, Fábila de C.

Cassanjes¹, Gaël Y. Poirier¹

¹Universidade Federal de Alfenas, Campus Poços de Caldas, Brazil.

*e-mail: lia-marcondes@hotmail.com

Rare-earth doped glass and nanocrystalline glass-ceramics are investigated as they allow to obtain materials with promising luminescent properties for application in photonic.^{1,2} On this paper, GeO₂-Nb₂O₅-K₂O samples undoped and doped with Eu³⁺, Er³⁺ e Er³⁺/Yb³⁺ ions were obtained. Nb₂O₅ was incorporated into the glass network since vary the amount of this precursor may result in change in the luminescent properties of rare-earth.³ Therefore, (90-x)GeO₂-xNb₂O₅-10K₂O samples were prepared aiming to find the maximum concentration of Nb₂O₅ and study the optical, thermal and structural properties. Samples were doped with Eu³⁺ ions used as structural probe, and Er³⁺ and Er³⁺/Yb³⁺ aiming at applications in photonics. Figure 1 shows the glass obtained. Nanocrystalline glass-ceramics was obtained under suitable heat-treatment conditions. Thermal (DSC, DTA), estructural (Raman, FTIR, XRD) and optical (UV-Vis-NIR and photoluminescence) measurements were performed. In short, increasing the concentration Nb₂O₅ considerably decreases the thermal stability parameter. Samples with a maximum of 20 mol% Nb₂O₅ were obtained and are promising because they may exhibit preferential precipitation of crystals formed only by metal oxide crystalline phases. Furthermore, the samples with large amounts of Nb₂O₅ doped with rare-earth suggests the possibility of obtaining potential transparent glass-ceramics for optical application.




Figure 1. Glass samples: final aspect of the investigated ternary undoped and doped.

1. Pietro, G. M.; Pereira, C.; Gonçalves, R. R.; Ribeiro, S. J. L.; Freschi, C. D.; Cassanjes, F. C.; Poirier, G. *J. Am. Ceram. Soc.*, **2015**, 98, 2086.
2. Alquino, F. T.; Ferrari, J. L.; Maia, L. J. Q.; Ribeiro, S. J. L.; Ferrier, A.; Goldner, P.; Gonçalves, R. R.; *J. Lumin.*, **2016**, 170, 431.
3. Nalin, M.; Ribeiro, S. J. L.; Manzani, D.; Gonçalves, R. R.; Poirier, G.; Cassanges, F. C.; Matos, C. J. S.; Mendonça, C. R.; Boni, L.; Misoguti, L.; Malta, O.; Ledemi, Y.; Messaddeg, s.; Messaddeg, Y.; *Quim. Nova*, **2016**, x, 1.

Financial support by the FAPEMIG, CNPq, CAPES, FINEP, UNIFAL-MG, RQ-MG was gratefully acknowledged.